

AMENDMENTIn The Claims:

Please amend the claims according to the following listing of claims and substitute it for all prior versions and listings of claims in the application.

Claims 1-4 (cancelled)

5. (withdrawn) The lotion for therapy of dermatitis described in claim 3 characterized in that said accelerating agent for skin permeation contains one, two or more selected from the group of Cnidii Rhizoma, Japanese Angelica Root and dimethylsulfoxide.

6. (withdrawn) The lotion for therapy of dermatitis described in claim 3 characterized in that said accelerating agent for keratinization contains one or two selected from the group of salicylic acid and resorcinol.

7. (withdrawn) The lotion for therapy of dermatitis described in claim 3 characterized in that the volume ratios of the extracts drawn from plants:accelerating agent for skin permeation:accelerating agent for keratinization in said auxiliary agent is 53 to 89%:8 to 38%:6 to 10%.

Claim 8. (cancelled)

Claim 9. (currently amended) A lotion for therapy of dermatitis ~~characterized in that the~~
comprising in percent by volume ratios of respective ingredients are Lightyellow Sophora Root, 2.7 to 3.3%; Turmeric, 1.8 to 2.2%; Magnolia Bark, 1.8 to 3.3%; Moutan Bark, 1.8 to 3.3%; Isatis

Leaf, 0.9 to 1.1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn.f.), 0.9 to 1.1%; Amur

Cork Tree, 1.8 to 2.2%; Angelicae Dahuricae Root, 0.9 to 1.1%; Lemon, 0 to 3.3%; Smartweed, 0 to 2.2%; Licorice, 0 to 1%; Cnidii Rhizoma, 0.45 to 0.55%; Japanese Angelica Root, 0 to 0.55%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; alcohol, 25 to 35%; and water, 45 to 51%.

Claim 10. (currently amended) A lotion for therapy of dermatitis ~~characterized in that the~~ comprising in percent by volume ratios of respective ingredients are Lightyellow Sophora Root, 3%; Turmeric, 2%; Magnolia Bark, 2%; Moutan Bark, 2%; Isatis Leaf, 1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn.f.), 1%; Amur Cork Tree, 2%; Angelicae Dahuricae Root, 1%; Lemon, 3%; Smartweed, 2%; Licorice, 0.5%; Cnidii Rhizoma, 0.5%; Japanese Angelica Root, 0.5%; salicylic acid, 0.5%; resorcinol, 0.5%; alcohol, 30%; and water, 48.5%.

Claim 11. (previously presented) A lotion for therapy of dermatitis ~~characterized in that the~~ comprising in percent by volume ratios of respective ingredients are Lightyellow Sophora Root, 2.7 to 3.3%; Turmeric, 1.8 to 2.2%; Magnolia Bark, 1.8 to 2.2%; Moutan Bark, 1.8 to 2.2%; Isatis Leaf, 0.9 to 1.1%; Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn.f.), 0.9 to 1.1%; Amur Cork Tree, 1.8 to 2.2%; Angelicae Dahuricae Root, 0.9 to 1.1%; Lemon, 0 to 3.3%; Smartweed, 0 to 2.2%; Licorice, 0 to 0.55%; dimethylsulfoxide, 4.5 to 5.5%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; alcohol, 21 to 31%; and water, 45 to 51%.

Claim 12. (previously presented) A lotion for therapy of dermatitis ~~characterized in that the~~ comprising in percent by volume ratios of respective ingredients are Lightyellow Sophora

Application No. 10/511,017

Docket No.: JCLA14659

Root, 3%; Turmeric, 2%; Magnolia Bark, 2%; Moutan Bark, 2%; Isatis Leaf, 1%; Borneo

Camphor Tree (*Dryobalanops aromatica* Gaertn.f.), 1%; Amur Cork Tree, 2%; Angelicae

Dahuricae Root, 1%; Lemon, 3%; Smartweed, 2%; Licorice, 0.5%; dimethylsulfoxide, 5%;

salicylic acid, 0.5%; resorcinol, 0.5%; alcohol, 26%; and water, 48.5%.